

Fig. 1




Fig. 2

300

	Field name	Field type (Access)	Field type (Oracle)	Description
302	ITId	Integer	Integer	Report Id. Unique in this table.
304	ITVersion	Integer	Integer	Version of schema when record was inserted.
306	ITPriDesc	Varchar(50)	Varchar(50)	Project description.
308	ITRepName	Varchar(30)	Varchar(30)	Report name.
310	ITRepld	Varchar(150)	Varchar(150)	Report Id.
312	ITBchld	Varchar(30)	Varchar(30)	Batch Id.
314	ITUsrNm	Varchar(50)	Varchar(30)	User name.
316	ITUsrCmnt	Varchar(254)	Varchar(254)	User comment.

318	ITPriDai	Varchar(30)	Varchar(30)	Pmt date.
320	ITPriTim	Varchar(30)	Varchar(30)	Pmt time.
322	ITPriApp	Varchar(50)	Varchar(50)	Printing application name.
324	ITMachNm	Varchar(50)	Varchar(50)	Machine name.
326	ITDomNm	Varchar(50)	Varchar(50)	Domain or Workgroup name.
328	ITLoginNm	Varchar(50)	Varchar(50)	Login name.
330	ITXExtnt	Integer	Integer	X Extnt of Pages in report.
332	ITYExtnt	Integer	Integer	Y Extnt of Pages in report.
334	ITNumOfPg	Integer	Integer	Number of pages in the report. If this field is blank, the number is computed for the ITId from IT Page table.
336	ITCRC32	Integer	Integer	CRC of tags & numeric data in the record. If the CRC doesn't match, it indicates tampering of some field in the record.

Fig. 3

	Field name	Field type (Access)	Field type (Oracle)	Description
302	1 LTid	Integer	Integer	Report Id.
402	2 LTPgNum	Integer	Integer	Page number, LTid and LTPgNum together constitute a unique record.
404	3 LTPginfo	Varchar(100)	Varchar(100)	Page information (not used).

Fig. 4

500

	Field name	Field type (Access)	Field type (Oracle)	Description
302	LTId	Integer	Integer	Report Id.
402	LTPgNum	Integer	Integer	Page number.
502	LTMFRNum	Integer	Integer	Metafile record number. LTId, LTPgNum and LTMFRNum together constitute a unique record.
504	LTMFBty	Integer	Integer	Metafile buffer type. Tells the type metafile stored - regular, enhanced, base-64 encoded, etc.
506	LTMFBIn	Integer	Integer	Length of data in LTMFBufr field.
508	LTMFBufr	Memo	Long	Metafile record stored in max. 16K chunks.

Fig. 5

Field name	Field type (Access)	Field type (Oracle)	Description
LTLastId	Integer	Integer	The last LTid inserted in LT_Main. The value is not decremented if a record is deleted. The value is changed reset to 0 if all the records are deleted (to allow the new entries to start from 1). The max value is 4,294,967,295.

Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15A




Fig. 15B




Fig. 16




Fig. 17